EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10520122"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 18:35
S2	1	"6092089".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 19:29
S3	1	"6092890".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 19:29
S5	1	"4748453".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 19:34
S6	1	"20020070997"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 20:23
S7	1	"2002044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:08
S8	50	(richard codos).in.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:09
S9	16	inert with oxygen near2 low with environment$4 with (cure or curing or dry$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:31
S10	1085	(inert or oxygen near2 low) with environment$4 with (cure or curing or dry$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:58
S11	7	(inert or oxygen near2 low) with environment$4 with (cure or curing or dry$4) "101".clas.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:58
S12	1	"6092890".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:11
S13	166	partial$4 near2 (cure or dry $4 or curing) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:44
S14	95	partial$4 near2 (cure or dry $4 or curing) near2 ink @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:44

S15	0	partial$4 near2 (cure or dry $4 or curing) near2 ink @ad<="20030701" with (UV or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:45
S16	0	partial$4 near2 (cure or dry $4 or curing) near2 ink @ad<="20030701" with (radiation$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:45
S17	25	partial$4 near2 (cure or dry $4 or curing) near2 ink with (UV or ultraviolet or radiation $4) @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:46
S18	1	partial$4 near2 (cure or dry $4 or curing) near2 ink with (UV or ultraviolet or radiation $4) with (liquid or gel or solid or solidif$4) @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:09
S19	0	oxygen near2 inhibition with (stop$4 or prevent$4 or slow $4) near3 solid$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:10
S20	1	oxygen near2 inhibition with (stop$4 or prevent$4 or slow $4) near3 solid$6	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:11
S21	6645	(slow$4 or stop$4 or prevent $4 or inhibit$4) with (dry$4 or curing or cure or solidify $4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S22	5467	(slow$4 or stop$4 or prevent $4 or inhibit$4) near3(dry$4 or curing or cure or solidify $4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S23	5467	(slow$4 or stop$4 or prevent $4 or inhibit$4) near3 (dry$4 or curing or cure or solidify $4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S24	799439	oxygen or (inert near2 air or gas) near3 (slow$4 or stop$4 or prevent$4 or inhibit$4) near3 (dry$4 or curing or cure or solidify$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S25	25	(oxygen or (inert near2 air or gas)) near3 (slow$4 or stop $4 or prevent$4 or inhibit$4) near3 (dry$4 or curing or cure or solidify$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S26	86	partial$4 near2 (cure or curing or dry$4) near2 ink (radiation$4 or UV or ultraviolet) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 14:00

S27	43	partial$4 near2 (cure or curing or dry$4) near2 ink (radiation$4 or UV or ultraviolet) near2 ink @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 14:06
S28	3	"20020044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 15:41
S29	24	"6,457,823"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:04
S30	330	ink with (wet$5) with (second or next or subsequent) near2 (pass or layer or print$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:10
S31	86	ink with (wet$5) with (second or next or subsequent) near2 (pass or layer or print$4) (UV or radiation$4 or ultraviolet) near2 (ink or cur$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:11
S32	1	"20020070997"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:15
S33	1254	347/101.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 18:55
S34	1140	347/102.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 18:55
S35	502	347/106.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 18:55
S36	3	"2338212"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 13:09
S37	0	(radiation or light or ultraviolet) near2 wavelenth with (cure or curing or dry $4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:21
S38	156	(radiation or light or ultraviolet) near2 wavelength with (cure or curing or dry $4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:21
S39	14	(radiation or light or ultraviolet) near2 wavelength with (cure or curing or dry $4) near2 ink with ("380" or "385" or "390" or "395" or "400")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:21

S40	1	"11524591"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:35
S41	1	"2002044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/14 17:39
S42	3	"2002044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/14 17:40
S43	1	"5535673".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/14 17:47
S44	4	"3918893".pn. or "4122225".pn. or "4180615".pn. or "3293094".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/28 15:06
S45	65	gloss with (curing or cure) with (variab$4 or vary or chang$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/28 16:42
S46	16	("3918393" | "4005244" | "4072770" | "4075366" | "4169167" | "4264643" | "4313969" | "4393187" | "4411931" | "4421784" | "4485123" | "4569966" | "5169704" | "5672393" | "5679721" | "5922473").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/09/28 17:00
S47	2	"3,807,052".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/28 17:30
S48	2	"3,807,052".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 11:38
S49	5	(apparatus method screen printing radiation curable).ti.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 11:42
S50	824	ultraviolet near4 lamp with (LED or light near2 emit$4 near2 diode	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:11
S51	4	ultraviolet near4 lamp with (LED or light near2 emit$4 near2 diode) "101".clas.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:12
S52	444	ultraviolet near4 lamp with (LED or light near2 emit$4 near2 diode) print$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:12
S53	19	ultraviolet near4 lamp with (LED or light near2 emit$4 near2 diode) with (dry$4 or curing) print$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:13
S54	444	ultraviolet near4 lamp with light near2 emit$4 near2 diode	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:14

S56	342	ultraviolet near2 lamp with light near2 emit$4 near2 diode	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:14
S57	8	ultraviolet near2 lamp with light near2 emit$4 near2 diode with (dry$4 or curing)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:15
S59	44	ultraviolet near2 lamp with light near2 emit$4 near2 diode same (dry$4 or curing)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:15
S60	1	(chang$4 or vary$4) near2 radiat$4 with (chang$4 or alter$4 or vary$4) near2 gloss	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:24
S61	312	(dry$4 or curing) with (radiation or ultraviolet) with gloss	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 13:52
S62	280	(dry$4 or curing) with (radiation or ultraviolet) with gloss (dry$4 or curing) with (ink or coat$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 14:07
S63	1	"4309452".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 14:38
S64	11	control$4 with gloss$4 with curing with radiation	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 14:42
S65	629	ink near2 jet partial$4 near2 (cure or curing) (radiation or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:06
S66	248	ink near2 jet partial$4 near2 (cure or curing) with (radiation or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:07
S67	58	ink near2 jet same partial$4 near2 (cure or curing) with (radiation or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:07
S68	142	ink near2 jet partial$4 near2 (cure or curing) with (radiation or ultraviolet) @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:08

S69	16	("20010046652" | "20020099111" | "20020149660" | "20030035037" | "20030227527" | "20040011457" | "20040090794" | "20040189770" | "20040189771" | "20060007290" | "6017660" | "6092890" | "6331056" | "6457823" | "6739716" | "7104642").PN.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 16:12
S70	10	("20010046652" | "20020099111" | "20020149660" | "20030035037" | "20030227527" | "20040011457" | "20040090794" | "20040189770" | "20040189771" | "20060007290" | "6017660" | "6092890" | "6331056" | "6457823" | "6739716" | "7104642").PN. ink near2 jet	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 16:13
S71	6	("20010046652" | "20020099111" | "20020149660" | "20030035037" | "20030227527" | "20040011457" | "20040090794" | "20040189770" | "20040189771" | "20060007290" | "6017660" | "6092890" | "6331056" | "6457823" | "6739716" | "7104642").PN. ink near2 jet @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 16:13
S72	1190	(adjust$4 or movable or moving) with (radiation or ultraviolet) near2 (source or lamp or light) with intensity	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:20
S73	6	(adjust$4 or movable or moving) with (radiation or ultraviolet) near2 (source or lamp or light) with intensity "101".clas.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:20
S74	24	(adjust$4 or movable or moving) with (radiation or ultraviolet) near2 (source or lamp or light) with intensity curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:20

S75	1	(adjust$4 or movable or moving) with height with (radiation or ultraviolet) near2 (source or lamp or light) curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:21
S76	1	(adjust$4 or movable or moving or chang$4) with height with (radiation or ultraviolet) near2 (source or lamp or light) curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:22
S77	1	(adjust$4 or movable or moving or chang$4) with vertical$4 with (radiation or ultraviolet) near2 (source or lamp or light) curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:22
S78	1	"10540130"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:46
S79	1	"4,180,615".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:47
S80	1354	347/102.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:35
S81	73	S80 partial$4 near2 cur$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:35
S82	1	"4309452".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:36
S83	18	apply$4 near2 gloss same ink near2 jet	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:38
S84	27690	coating same (ink near2 jet or inkjet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:43
S85	960	coating same (ink near2 jet or inkjet) same gloss	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:43
S86	6	coating same (ink near2 jet or inkjet) same gloss same dual	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:43
S87	4131	coating same (ink near2 jet or inkjet) same apply$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:43
S88	896	(ink near2 jet or inkjet) same apply$4 near coat$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:43

S89	864	(ink near2 jet or inkjet) same apply$4 near coating	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:44
S90	703	(ink near2 jet or inkjet) same apply$4 near coating same ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:44
S91	45	(ink near2 jet or inkjet) same apply$4 near coating same ink with drop$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:44
S92	4114	ink near2 jet same coating same (wood or plastic or glass or metal)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:45
S93	1363	ink near2 jet same coating same (wood or plastic or glass or metal) with (article or substrate)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:45
S94	593	ink near2 jet near5 coating same (wood or plastic or glass or metal) with (article or substrate)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:46
S95	146	ink with drop$4 ink near2 jet near5 coating same (wood or plastic or glass or metal) with (article or substrate)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:46
S96	460	ink near2 jet with (form$4 or apply$4) near5 coating same (wood or plastic or glass or metal)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:48
S97	178	(ink near2 jet or inkjet) with (form$4 or apply$4) near5 coating same (wood or plastic or glass or metal) (UV or ultraviolet) with cur$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/24 16:48
S98	2	"20020064616"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/25 13:47
S99	1	"2002089364"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/25 14:51
S100	34	"6457823"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/25 14:51
S101	616	(inkjet or ink near2 jet) overlap$4 same swath	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/25 16:02
S102	179	(inkjet or ink near2 jet) overlap$4 same swath with ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/25 16:02
S103	85	movable with beam with (print near1 head or printhead)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/26 15:20

S104	96	347/8.ccls. beam	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/26 15:43
S105	37	347/8.ccls. beam @ad<"20020101"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/26 15:51
S106	62	(ultraviolet or UV) with curable with ink same ("370" or "375" or "380" or "390" or "400") with (nanometer or NM)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2010/06/26 16:22

EAST Search History (Interference)

< This search history is empty>

7/1/2010 3:49:13 PM
C:\ Documents and Settings\ dbanh2\ My Documents\ EAST\ Workspaces\ 10520122.wsp